	Hits	Search Text	DBs
1	86	down\$1ward\$1 and @ad <	
2	61	13 and ((maintain\$4 or preserv\$4 or keep\$4 or retain\$4 or sustain\$4) with	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	32	14 and namespace\$1 and model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	32	15 and type\$1 and structure\$1 and (xml or (extensible adj	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1030	(downward with compatib\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6		120 and typeS1 and structureS1	

	Hits	Search Text	DBs
7	1	20 and ((xml or (extensible adj mark\$1up adj language\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	3	20 and (xml or (extensible adj mark\$1up adj language\$1)) and schema\$3 and @ad < "20021030"	EPO; JPO;
9	0	and @ad < "20021030" and and and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	l	"20021030" and up\$1ward and down\$1ward and name\$1 and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

- 136 (schema\$2 same version\$1 same (chang\$4 or modification\$1 or modif\$5 or alter\$5 or amend\$4)) and (xml or (extensible adj markup adj language\$1)) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 1 and (compatible or congruent or compatibilit\$3) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
- 2 and (schema\$2 with name\$1 with ("same" or unchanged or identical or preserved or alike or maintained or kept or sustained or upheld)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
- 1 and (schema\$2 with name\$1 with ("same" or unchanged or identical or preserved or alike or maintained or kept or sustained or upheld)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
- 4 not 3 US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 125 (schema\$2 with name\$1 with ("same" or unchanged or identical or preserved or alike or maintained or kept or sustained or upheld)) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
- 119 6 not 3 not 5 US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 8 and (xml or (extensible adj markup adj language\$1)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
- 1 9 and (schema\$2 with version\$1) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 9 and (schema\$2 same version\$1 same (chang\$4 or modification\$1 or modif\$5 or alter\$5 or amend\$4)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 8 and (schema\$2 same version\$1 same (chang\$4 or modification\$1 or modif\$5 or alter\$5 or amend\$4)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

  167 (schema\$2 with (compatible or congruent or compatibilit\$3)) and @ad <
- "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 1 (schema\$2 with (compatible or congruent or compatibilit\$3) with downward) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 1 (schema\$2 same (compatible or congruent or compatibilit\$3) same downward) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 7 (schema\$2 with (compatible or congruent or compatibilit\$3)) and downward and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 6 24 not 23 US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 23 (schemas with (compatible or congruent or compatibilit\$3)) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
- 8 26 and (xml or (extensible adj markup adj language\$1)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 2 (schemas same inheritance) and (xml with schema\$1 with version\$1) and @ad < "20021030" and map\$4 and date\$1 US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
- 0 28 and downward US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB
- 2 28 and (compatible or congruent or compatibilit\$3) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB